

L Number	Hits	Search Text	DB	Time stamp
2	15	((mpwm or multi or multilevel) near pulse near3 (dac or digital)) and (control or controller or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 17:42
1	22	(mpwm or multi or multilevel) near pulse near3 (dac or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 17:48
3	12398	(mpwm or multi or multilevel or pcm or (code adj modulation)) near3 (dac or digital)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 17:49
4	485	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:19
5	8	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)) near5 driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 17:54
6	35	((mpwm or multi or multilevel or pcm or (code adj modulation)) near3 (dac or digital)) and ((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 17:58
7	5	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)) near5 buffer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:05
8	1	conver\$ adj2 (pcm or (pulse adj code)) adj3 (pwm or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:07
9	15	conver\$ near2 (pcm or (pulse adj code)) near3 (pwm or (pulse adj width))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:16
10	1	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)) and (conver\$ near2 (pcm or (pulse adj code)) near3 (pwm or (pulse adj width)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:13
11	87616	pcm or (pulse adj2 (code\$1 or modul\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:16
12	146482	pwm or (pulse adj2 (width or modul\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:16
13	4219	conver\$4 near3 (pcm or (pulse adj2 (code\$1 or modul\$3))) near5 (pwm or (pulse adj2 (width or modul\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:17

14	708	conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:18
15	0	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3) same (conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:18
16	1	((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3) and (conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:18
17	2201	((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:21
18	2607	((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3) or ((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:21
19	0	(conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) with (((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3) or ((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:21
20	7	(conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) and (((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3) or ((lsb or (lower or least) adj significant)) near3 (disabl\$3 or enabl\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:24
21	275	second adj2 output adj driver	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:26
22	0	(conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) and (second adj2 output adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:26
23	2	((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3) and (second adj2 output adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:26
24	18625	second adj2 (buffer or driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:27
25	0	(conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) and (second adj2 output adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:27

26	2	((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3)) and (second adj2 output adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:27
29	0	((conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) and (second adj2 (buffer or driver))) and (((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3)) and (second adj2 (buffer or driver)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:27
27	10	(conver\$4 adj3 (pcm or (pulse adj2 (code\$1 or modulat\$3))) adj5 (pwm or (pulse adj2 (width or modulat\$3)))) and (second adj2 (buffer or driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:27
28	69	((lsb or (lower or least) adj significant)) near3 (activat\$3 or connect\$3 or switch\$3)) and (second adj2 (buffer or driver))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001/12/08 18:31